



**Applications:** Haulage, Walkway, Conveyor, Substation, Wash Bay & Underground roadway Lighting.

**Housing:** Body manufactured from polycarbonate with a UV stabilized smooth clear polycarbonate lens. The clear lens allows for maximum 360° light output.

**Gasket:** The rubber gasket between the lens and body provides a IP66 seal.

**Lamps:** Available in T8 fluorescent lamps, PL compact fluorescent lamps and T8 LED tubes.

**Control Gear:**

**Fluorescent and Energy Savers:**

12V DC, 24V DC, 24V AC, 32V AC, 110V-220V AC, 50/60Hz

**LED:** 110V DC, 90V-220V AC, 50/60Hz

**Connection:** Connect using slide plate junction box, 5 amp plug or direct into other junction boxes.



| Model Name         | Dimension (mm) L | Dia (mm) | Lamp Type  | 12VDC | 24VDC | 24VAC | 32VAC | 110VAC | 110VDC | 220VAC |
|--------------------|------------------|----------|------------|-------|-------|-------|-------|--------|--------|--------|
| Ezelite PL9        | 275              | 85       | PL9        | x     |       |       |       |        |        |        |
| Ezelite PL18       | 380              | 85       | PL18       | x     |       |       | x     | x      |        | x      |
| Ezelite PL36       | 614              | 85       | PL36       | x     | x     | x     | x     | x      |        | x      |
| Ezelite PL55       | 763              | 85       | PL55       |       |       |       |       | x      |        | x      |
| Ezelite 2ft T8     | 850              | 85       | T8 18W     |       |       |       |       | x      |        | x      |
| Ezelite 4ft T8     | 1450             | 85       | T8 36W     | x     | x     | x     | x     | x      |        | x      |
| Ezelite 5ft T8     | 1750             | 85       | T8 58W     |       |       |       |       | x      |        | x      |
| Ezelite LED 2ft T8 | 650              | 85       | T8 9W LED  |       |       |       |       | x      | x      | x      |
| Ezelite LED 4ft T8 | 1250             | 85       | T8 18W LED |       |       |       |       | x      | x      | x      |
| Ezelite LED 5ft T8 | 1550             | 85       | T8 24W LED |       |       |       |       | x      | x      | x      |

The **Ezelite** luminaire has a robust water and dust proof design which makes it suitable for use in underground and surface areas. It provides excellent 360° light output through the clear UV stabilized polycarbonate lens. The luminaire can be supplied with a lead and 5 amp plug in various lengths to suit any customers need. The **Ezelite** continues the proud heritage of RAMIKA PROJECTS quality standards.

Ramika Projects reserves the right to change any specification or design without prior notice.

